FIRE ALARM SYSTEM RECORD OF COMPLETION

To be completed by the system installation contractor at the time of system acceptance and approval.

1.	Protected Property Information				
	Name of property:				
	Address:				
	Description of property:				
	Occupancy type:				
	Name of property representative:				
	Address:				
	Phone:	Fax:	E-mail:		
	Authority having jurisdiction over this property:				
	Phone:	Fax:	E-mail:		
2.	Fire Alarm System Installation, Service, and Testing Information				
	Installation contractor for this equipment:				
	Address:				
	Phone:	Fax:	E-mail:		
	Service organization for this equipment:				
	Address:				
	Phone:	Fax:	E-mail:		
	Location of as-built drawings: Location of Historical Test Reports:				
	Location of system operation and maintenance manuals:				
	A contract for test and inspection in accordance with NFPA standards is in effect as of				
	Contracted testing company:				
	Address:				
	Phone:	Fax:	E-mail:		
	Contract expires:	Contract number:	Frequency of routine inspections:		
3.	Type of Fire Alarm System or Service				
	NFPA 72®, Chapter Reference of System Type:				
	Name of organization receiving alarm signals with phone numbers (if applicable):				
	Alarm:		Phone:		
	Supervisory:		Phone:		
	Trouble:		Phone:		
	Entity to which alarms are re	etransmitted:	Phone:		
	Method of retransmission of alarms to that organization or location:				

	If Chapter 8, note the means of transmission from the protected premises to the central station:				
	☐ Digital alarm communicator ☐ McCulloh ☐ Multiplex ☐ 2-way radio ☐ 1-way radio ☐ N/A If Chapter 9, note the type of connection: ☐ Local energy ☐ Shunt ☐ N/A				
3.1 System Software					
	Operating system (executive) software revision level:				
	Site-specific software revision date: Revision completed by:				
4.	I. Signaling Line Circuits				
Characteristics of signaling line circuits connected to this system (see NFPA 72®, Table 6.6.1):					
	Quantity: Class:				
5. Alarm-Initiating Devices and Circuits					
	Characteristics of initiating device circuits connected to this system (see NFPA 72®, Table 6.5):				
	Quantity: Class:				
	5.1 Manual Initiating Devices				
	5.1.1 Manual Pull Stations Number of manual pull stations: Type of devices: Addrescable Conventional Coded Transmitter N/A				
	Type of devices: Addressable Conventional Coded Transmitter N/A				
	5.2 Automatic Initiating Devices				
	5.2.1 Area Smoke Detectors Number of smoke detectors:				
	Type of coverage: ☐ Complete area ☐ Partial area ☐ Nonrequired partial area ☐ N/A				
	Type of devices:				
	Type of smoke detector sensing technology: Ionization Photoelectric				
	5.2.2 Duct Smoke Detectors Number of duct smoke detectors:				
	Type of coverage:				
	Type of devices:				
	Type of smoke detector sensing technology: Inization Photoelectric				
	5.2.3 Heat Detectors Number of heat detectors:				
	Type of coverage: Complete area Partial area Nonrequired partial area N/A				
	Type of devices: Addressable Conventional Coded Transmitter N/A				
	5.2.4 Sprinkler Waterflow Detectors Number of waterflow detectors:				
	Type of devices:				
	5.2.5 Alarm Verification Number of devices subject to alarm verification:				
	Alarm verification on this system is: Enabled Disabled Set for seconds				
6.	Supervisory Signal-Initiating Devices and Circuits				
	6.1 Sprinkler System Number of valve supervisory switches:				
	Type of devices:				

	6.2 Fire Pump						
	Type of fire pump: ☐ Electric ☐ Diesel						
	Type of fire pump supervisory devices: \square Addressable \square	ded Transmitter N/A					
	Fire Pump Functions Supervised	tions Supervised					
	☐ Fire pump power ☐ Fire pump running ☐ Fire pump p	hase reversal	ctor switch not in auto				
	☐ Engine or control panel trouble ☐ Low fuel Other:						
	6.3 Engine-Driven Generator						
	Type of generator supervisory devices: ☐ Addressable ☐	ressable Conventional Coded Transmitter N/A					
	☐ Engine or control panel trouble ☐ Generator running ☐ Other:	Selector switch not in	auto Low fuel				
7.	Annunciators						
	7.1 Annunciator 1 Local Remote						
	Type: ☐ Addressable ☐ Directory ☐ Graphic ☐ N/A	Location:					
	7.2 Annunciator 2						
	Type: □ Addressable □ Directory □ Graphic □ N/A	Location:					
	- , - , -						
	7.3 Annunciator 3	Location:					
_	Type: ☐ Addressable ☐ Directory ☐ Graphic ☐ N/A	Location.					
8.	Alarm Notification Devices and Circuits						
	8.1 Emergency Voice Alarm Service						
	Number of single voice alarm channels:	Number of multiple	e voice alarm channels:				
	Number of speakers:	Number of speaker	zones:				
	8.2 Telephone Jacks						
	-		lanta ataun di ani aitan				
Number of telephone jacks installed: Number of telephone handsets stored on site: Type of telephone system installed: Electrically powered Sound powered N/A 8.3 Nonvoice Audible System Characteristics of notification device circuits connected to this system (see NFPA 72®, Table 6.5):							
					8.4 Types and Quantities of Nonvoice Notification Applian	nces Installed	
					Bells: With visual device:	Horns:	With visual device:
	Chimes: With visual device:	Bells:	With visual device:				
	Visual devices without audible devices:	Other (describe):					

9.	Emergency Control Functions Activated					
	☐ Hold-open door releasing devices	☐ Smoke management or smoke of	control			
	☐ Door unlocking	☐ Elevator recall	Other			
10	.System Power Supply					
	10.1 Primary Power					
	Nominal voltage:		Amps:			
	Overcurrent protection: Type:		Amps:			
	Location (of primary supply panelboard):					
	Disconnecting means location:					
	10.2 Secondary Power					
	Location: Type:	Nominal voltag	ge: Current rating:			
	Number of standby batteries: Amp hour rating:					
	Location of emergency generator:					
	Location of fuel storage:					
	Calculated capacity of secondary power	Calculated capacity of secondary power to drive the system				
	In standby mode:	In alarm mo	ode:			
11	. Record of System Installation					
	Fill out after all installation is complete and wiring has been checked for opens, shorts, ground faults, and improper branching, but before conducting operational acceptance tests.					
	The system has been installed in accordance with the following NFPA standards: (Note any or all that apply.)					
	□ NFPA 72 [®]	☐ NFPA 70 [®] , Article 760				
	☐ Manufacturer's published instruction	Other (please specify):				
	System deviations from referenced NFPA standards:					
	Signed:	Printed name:	Date:			
	Organization:	Title:	Phone:			
12	. Record of System Operation					
	All operational features and functions of shown below, and were found to be open		presence of the signer shown below, on the date the requirements of:			
	□ NFPA 72 [®]	\square NFPA 70 [®] , Article 760				
	☐ Manufacturer's published instruction	Other (please specify):				
	☐ Documentation in accordance with Inspection and Testing Form (Figure 10.6.2.3 of NFPA 72®) is attached					
	Signed:	Printed name:	Date:			
	Organization:	Title:	Phone:			

13. Certifications and Approvals

13.1 System Installation Contractor

This system as specified here	ein has been installed and tested according to all	NFPA standards cited herein.
Signed:	Printed name:	Date:
Organization:	Title:	Phone:
13.2 System Service Contra	actor	
This system as specified here	ein has been installed and tested according to all	NFPA standards cited herein.
Signed:	Printed name:	Date:
Organization:	Title:	Phone:
13.3 Central Station		
This system as specified here	ein will be monitored according to all NFPA stan	dards cited herein.
Signed:	Printed name:	Date:
Organization:	Title:	Phone:
13.4 Property Representati	ive	
I accept this system as havin	g been installed and tested to its specifications an	nd all NFPA standards cited herein.
Signed:	Printed name:	Date:
Organization:	Title:	Phone:
13.5 Authority Having Jur	isdiction	
	ry acceptance test of this system and find it to be specifications, its approved sequence of operation	
Signed:	Printed name:	Date:
Organization:	Title:	Phone: